



STIC Search Report

EIC 2100

STIC Database Tracking Number: 162274

TO: Joseph Pan
Location: RND 2C15
Art Unit : 2135
Tuesday, May 03, 2005

Case Serial Number: 09/978381

From: David Holloway
Location: EIC 2100
RND 4B19
Phone: 2-3528

david.holloway@uspto.gov

Search Notes

Dear Examiner Pan,

Attached please find your search results for above-referenced case.
Please contact me if you have any questions or would like a re-focused search.

David

5/5/6 (Item 6 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.

014017880 **Image available**
WPI Acc No: 2001-502094/200155
Related WPI Acc No: 2002-205158
XRPX Acc No: N01-372369

Configuration method for computer system involves sending
configuration command to devices on host bus giving range of addresses
associated with particular device on bus

Patent Assignee: MICRON TECHNOLOGY INC (MICR-N)

Inventor: PORTERFIELD A K

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 6275888	B1	20010814	US 97974374	A	19971119	200155 B
			US 2000524625	A	20000313	

Priority Applications (No Type Date): US 97974374 A 19971119; US 2000524625
A 20000313

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 6275888	B1	12	G06F-013/00	Cont of application US 97974374

Abstract (Basic): US 6275888 B1

NOVELTY - Processor (62) sends **configuration** command to devices (66-70) e.g. Peripheral Device Interconnect (PCI) bridges, on host bus (64). Command includes range of addresses assigned to particular bus e.g. Second PCI Bus. If processor then transmits transaction request to address in given range only device to which address assigned will respond.

DETAILED DESCRIPTION - Bus device e.g. First PCI bridge, may include set of **configuration** registers storing its own **configuration** data and set of **shadow configuration registers** storing **configuration** data of other devices on the host bus.

USE - Method of configuring a computer system (claimed).

ADVANTAGE - Allows several PCI buses to be bridged direct to host bus instead of to main PCI bus bridged to host bus as in traditional hierarchical bus structures.

DESCRIPTION OF DRAWING(S) - Drawing shows a block diagram of a system using the described method.

Processor (62)

Host bus (64)

PCI bridges (66,68,70)

pp; 12 DwgNo 2/3

Title Terms: **CONFIGURATION** ; METHOD; COMPUTER; SYSTEM; SEND;

CONFIGURATION ; COMMAND; DEVICE; HOST; BUS; RANGE; ADDRESS; ASSOCIATE;
DEVICE; BUS

Derwent Class: T01

International Patent Class (Main): **G06F-013/00**

International Patent Class (Additional): **G06F-013/38**

File Segment: EPI

2/5/4 (Item 4 from file: 350)
DIALOG(R) File 350:Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.

014384606 **Image available**
WPI Acc No: 2002-205309/200226
Related WPI Acc No: 2001-502094; 2002-205302
XRPX Acc No: N02-156289

Computer system configuring method involves transmitting configuration data assigned to one peripheral component interconnect bridge to host bus, so that transmission of transaction request is determined
Patent Assignee: PORTERFIELD A K (PORT-I); MICRON TECHNOLOGY INC (MICR-N)
Inventor: PORTERFIELD A K
Number of Countries: 001 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
US 20020016877	A1	20020207	US 97974374	A	19971119	200226 B
			US 2000524625	A	20000313	
			US 2001930055	A	20010814	
US 6587868	B2	20030701	US 97974374	A	19971119	200345
			US 2000524625	A	20000313	
			US 2001930055	A	20010814	

Priority Applications (No Type Date): US 97974374 A 19971119; US 2000524625 A 20000313; US 2001930055 A 20010814

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
US 20020016877	A1	10	G06F-013/00	Cont of application US 97974374 Cont of application US 2000524625 Cont of patent US 6275888
US 6587868	B2		G06F-015/16	Cont of application US 97974374 Cont of application US 2000524625 Cont of patent US 6275888

Abstract (Basic): US 20020016877 A1

NOVELTY - The write commands including configuration data representing a range of addresses assigned to PCI bridge (66), are transmitted to the host bus (64) from the processor (62). The processor transmits a transaction request to an address selected from the assigned addresses. The PCI bridge determines that the transaction request should not be transmitted based on the configuration data.

USE - For configuring computer system with peer-to-peer arrangement of computer buses.

ADVANTAGE - Arranges the computer bridges, without the hardware specific BIOS routines, to configure the computer system. Employs **shadow configuration registers** to make the physical peer-to-peer arrangement logically appear to the operating system as a traditional hierarchical arrangement.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of computer system.

Processor (62)
Host bus (64)
PCI bridge (66)
pp; 10 DwgNo 2/3

Title Terms: COMPUTER; SYSTEM; METHOD; TRANSMIT; CONFIGURATION; DATA; ASSIGN; ONE; PERIPHERAL; COMPONENT; INTERCONNECT; BRIDGE; HOST; BUS; SO; TRANSMISSION; TRANSACTION; REQUEST; DETERMINE

Derwent Class: T01

International Patent Class (Main): G06F-013/00; **G06F-015/16**

International Patent Class (Additional): G06F-013/36

File Segment: EPI

Set	Items	Description
S1	495	(SHADOW? OR MIRROR? OR STORED OR SAVED OR RECORDED OR REFERENCE?) (3N) (PCR? ? OR PLATFORM() CONFIG? OR CONFIGURATION() REGISTER?)
S2	6	S1 AND (ESS OR PLATFORM? OR CONFIGURATION? OR BIOS OR BOOT? ? OR HASH?)
S3	7600	(SECOND OR 2ND OR ANOTHER OR HIDDEN OR ADDITIONAL OR TWO OR BACKUP OR RESERV? OR SPARE) (3N) (PCR OR PLATFORM() CONFIGURATION? OR CONFIGURATION() REGISTER?)
S4	1518	S3 AND (SECUR? OR HASH? OR SCRAMBL? OR ENCRYPT? OR ENCIPHER? OR ENCYIPHER? OR CYPHER? OR MALICIOUS OR ILLEGAL OR INTRUDER? OR VIRUS OR TROJAN OR MALWARE)
S5	8201	(MATCH? OR COMPAR? OR SAME? OR IDENTICAL? OR EQUAL? ? OR EQUIVALENT? OR CORRECT?) (3N) (PCR? ? OR PLATFORM() CONFIG? OR CONFIG?() REGISTER?)
S6	169	(S4 OR S5) AND (BOOT? ? OR BIOS OR INITIALI? OR START?)
S7	123	RD (unique items)
S8	99	S7 NOT PY>2001
S9	0	S8 AND (MICROPROCESSOR? OR PROCESSOR? OR BIOS OR BOOT? ? OR BASIC() (INPUT OR IN() PUT) OR OPERATING() SYSTEM? OR OS MOTHERBOARD? OR PLATFORM() REGISTER?)
S10	177	S4 AND S5
S11	0	S10 AND (BOOT? ? OR BIOS OR BASIC() INPUT)
File	8: Ei Compendex(R)	1970-2005/Apr W4 (c) 2005 Elsevier Eng. Info. Inc.
File	35: Dissertation Abs Online	1861-2005/Mar (c) 2005 ProQuest Info&Learning
File	65: Inside Conferences	1993-2005/May W1 (c) 2005 BLDSC all rts. reserv.
File	2: INSPEC	1969-2005/Apr W4 (c) 2005 Institution of Electrical Engineers
File	94: JICST-EPlus	1985-2005/Mar W3 (c) 2005 Japan Science and Tech Corp (JST)
File	111: TGG Natl. Newspaper Index (SM)	1979-2005/May 02 (c) 2005 The Gale Group
File	6: NTIS	1964-2005/Apr W3 (c) 2005 NTIS, Intl Cpyrght All Rights Res
File	144: Pascal	1973-2005/Apr W4 (c) 2005 INIST/CNRS
File	34: SciSearch(R) Cited Ref Sci	1990-2005/Apr W4 (c) 2005 Inst for Sci Info
File	62: SPIN(R)	1975-2005/Feb W1 (c) 2005 American Institute of Physics
File	99: Wilson Appl. Sci & Tech Abs	1983-2005/Mar (c) 2005 The HW Wilson Co.
File	95: TEME-Technology & Management	1989-2005/Mar W4 (c) 2005 FIZ TECHNIK

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 2 of 2 for "**shadow pcr**". (0.64 seconds)

Tip: Try removing quotes from your search to get more results.

PCR-restriction fragment length polymorphism (RFLP) analyses ...

... Five fragments were found to be either monomorphic or otherwise problematic (producing **shadow PCR** fragments, failing to amplify many strains, etc.). ...

[www.blackwell-synergy.com/links/ doi/10.1046/j.1365-294X.1999.00523.x/abs/](http://www.blackwell-synergy.com/links/doi/10.1046/j.1365-294X.1999.00523.x/abs/) - [Similar pages](#)

Roland CY12RC V-Cymbal Ride/detail-Gibson J100 Xtra Acoustic ...

... **Shadow pcr** glad likes pennies familiar themselves frank pennies... Tabbed
behringers volule ahhhhh bis pyschological bis! Malicious ...

[www.music-buy.us/detail-Roland%20CY12RC%20V-Cymbal%20Ride/ detail-Gibson%20J100%20Xtra%20Acoustic-Electric...](http://www.music-buy.us/detail-Roland%20CY12RC%20V-Cymbal%20Ride/detail-Gibson%20J100%20Xtra%20Acoustic-Electric...) - 10k - Supplemental Result - [Cached](#) - [Similar pages](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: emails - files - chats - web history - media - PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Set	Items	Description
S1	276	(SHADOW? OR MIRROR? OR STORED OR SAVED OR RECORDED OR REFERENCE?) (3N) (PCR OR PLATFORM() CONFIGURATION OR CONFIGURATION() - REGISTER?)
S2	5	S1 AND IC=G06F-015
S3	39	S1 AND (ESS OR PLATFORM? OR CONFIGURATION? OR BIOS OR BOOT? ? OR HASH?)
S4	36	S3 NOT S2
S5	20	S4 AND IC=G06F
S6	1194	(SECOND OR 2ND OR ANOTHER OR HIDDEN OR ADDITIONAL OR TWO OR BACKUP OR RESERV? OR SPARE) (3N) (PCR OR PLATFORM() CONFIGURATION? OR CONFIGURATION() REGISTER?)
S7	1	S6 AND IC=G06F-015
S8	55	S6 AND IC=(G06F OR H04L OR H04K)
S9	4	S8 AND (SECUR? OR HASH? OR SCRAMBL? OR ENCRYPT? OR ENCIPHER? OR ENCYIPHER? OR CYPHER? OR MALICIOUS OR ILLEGAL OR INTRUDER? OR VIRUS OR TROJAN OR MALWARE)
S10	508	(MATCH? OR COMPAR? OR SAME? OR IDENTICAL? OR EQUAL? ? OR EQUIVALENT? OR CORRECT?) (3N) (PCR? ? OR PLATFORM() CONFIG? OR CONFIG?() REGISTER?)
S11	2	S10 AND IC=G06F-015
S12	48	S10 AND IC=(G06F OR H04L OR H04K)
S13	47	S12 NOT (S7 OR S9 OR S5)
S14	34	S13 NOT AD>20011016

? show files

File 347:JAPIO Nov 1976-2004/Dec(Updated 050405)
(c) 2005 JPO & JAPIO

File 350:Derwent WPIX 1963-2005/UD,UM &UP=200527
(c) 2005 Thomson Derwent

Set	Items	Description
S1	5	SHADOW() (PCR OR PLATFORM() CONFIGURATION() REGISTER?)
File 340:		CLAIMS(R)/US Patent 1950-05/Apr 28
		(c) 2005 IFI/CLAIMS(R)
File 349:		PCT FULLTEXT 1979-2005/UB=20050428, UT=20050421
		(c) 2005 WIPO/Univentio
File 351:		Derwent WPI 1963-2005/UD, UM & UP=200527
		(c) 2005 Thomson Derwent
File 654:		US Pat.Full. 1976-2005/Apr 28
		(c) Format only 2005 The Dialog Corp.

*** DIALINDEX search results display in an abbreviated ***
*** format unless you enter the SET DETAIL ON command. ***
? set files bibl,ftext,ftexta,20,256,hayess

>>> 202 does not exist
>>> 233 does not exist
>>> 278 does not exist
>>> 3 of the specified files are not available

You have 44 files in your file list.

(To see banners, use SHOW FILES command)

? set files all

You have 559 files in your file list.

(To see banners, use SHOW FILES command)


? s shadow() (pcr or platform() configuration() register?)

Your SELECT statement is:

s shadow() (pcr or platform() configuration() register?)

Items	File
Examined 50 files	
Examined 100 files	
Examined 150 files	
Examined 200 files	
1	340: CLAIMS(R)/US Patent_1950-05/Apr 28
1	349: PCT FULLTEXT_1979-2005/UB=20050428,UT=20050421
1	351: Derwent WPI_1963-2005/UD,UM &UP=200527
Examined 250 files	
Examined 300 files	
Examined 350 files	
Examined 400 files	
2	654: US Pat.Full._1976-2005/Apr 28
Examined 450 files	
Examined 500 files	
Examined 550 files	

4 files have one or more items; file list includes 559 files.
One or more terms were invalid in one file.



May 03, 2005

USPTO

**Search**[Full Text](#)[Concept](#)[Document ID](#)[Recent Disclosures](#)**Publish**[Publish Disclosure](#)**My IP.com**[Manage Account](#)[Prior Purchases](#)[Prior Disclosures](#)[Events](#)[Main Page](#)[Support](#)[Logout](#)**No records matched your search.**

Perhaps you should try a less restrictive query.

Search query: "shadow pcr"[New search](#) | [Modify this search](#)**Fingerprint Lookup**[Lookup](#)

Copyright © 2005 IP.com, Inc. All rights reserved. |